

# Silver

ANALYTE	RANGE (ppm)	DESCRIPTION	CODE
<b>Trace Level</b>			
Ag	0.2-100	Ag by aqua regia digestion and AAS.	Ag-AA45
Ag	0.5-100	Ag by HF-HNO <sub>3</sub> -HClO <sub>4</sub> digestion, HCl leach and AAS.	Ag-AA61
Note: See also multi-element methods that include Ag under "Exploration Geochemistry" (pages 15-18).			
<b>Ore Grade</b>			
Ag	1-1,500	Ag by aqua regia digestion, ICP-AES or AAS finish.	Ag-OG46* (Ag-AA46)
Ag	1-1,500	Ag by HF-HNO <sub>3</sub> -HClO <sub>4</sub> digestion with HCl leach, ICP-AES or AAS finish.	Ag-OG62* (Ag-AA62)
Ag	5-10,000	Ag by fire assay and gravimetric finish. 30g nominal sample weight 50g nominal sample weight	Ag-GRA21 Ag-GRA22
Au Ag	0.05-1,000 5-10,000	Au and Ag by fire assay and gravimetric finish. 30g nominal sample weight 50g nominal sample weight	ME-GRA21 ME-GRA22
<b>Concentrates</b>			
Ag	0.7-995,000	Ag by fire assay and gravimetric finish.	Ag-CON01
<b>Bullion</b>			
Ag	Fineness 1-1,000	Routine bullion assays by fire assay with gravimetric finish.	Ag-GRA24
Ag	Fineness 1-1,000	Ag umpire assay in bullion samples by fire assay with gravimetric finish.	Ag-UMP20

\*Can be packaged with base metal analysis at a discounted price.